

20. ZADATAK

Procijeniti kritični tlak smjese etana(1) i benzena(2) sastava $y_1=0,392$ Kreglewski-Kayevim postupkom

Eksperimentalno određeni kritični parametri smjese iznose: $p_{\text{KM}}=83,8 \text{ atm}$; $T_{\text{KM}}=499,1 \text{ K}$

Termodinamički podaci

TVAR	ETAN	BENZEN
T_{K}/K	305,4	562,1
p_{K}/atm	48,1	48,3
$\nu_{\text{K}}/\text{cm}^3\text{mol}^{-1}$	148	259
$\nu^*/\text{cm}^3\text{mol}^{-1}$	54,87	93,97
ω	0,098	0,212

$v(T_r=0,60)$

Izraz za procjenu kritičnoga tlaka

$$p_{\text{KM}} = p^* \left[1 + (5,808 + 4,93\omega) \left(\frac{T_{\text{KM}}}{T^*} - 1 \right) \right]$$

Izračunavanje potrebnih veličina

$$\nu_M^* = y_1 \nu_1^* + y_2 \nu_2^* + (2\nu_{12}^* - \nu_1^* - \nu_2^*) y_1 y_2$$

$$\nu_{12}^* = \frac{\left[(\nu_1^*)^{1/3} + (\nu_2^*)^{1/3} \right]^3}{8} = 72,7 \text{ cm}^3 \text{mol}^{-1}$$

$$\nu^* = 77,8 \text{ cm}^3 \text{mol}^{-1}$$

Osrednjjenje

linearne dimenzije

$$\theta_1 = \frac{y_1 (\nu_1^*)^{2/3}}{y_1 (\nu_1^*)^{2/3} + y_2 (\nu_2^*)^{2/3}} = 0,310$$

Površinski udio?

$$\theta_2 = 1 - \theta_1 = 0,690$$

$$T^* = (\nu_M^*)^{1/3} \left\{ \frac{T_{K1}\theta_1}{(\nu_1^*)^{1/3}} + \frac{T_{K2}\theta_2}{(\nu_2^*)^{1/3}} + \left[\frac{2T_{12}^*}{(\nu_{12}^*)^{1/3}} - \frac{T_{K1}}{(\nu_1^*)^{1/3}} - \frac{T_{K2}}{(\nu_2^*)^{1/3}} \right] \theta_1 \theta_2 \right\}$$

$$T_{12}^* = \frac{2(\nu_{12}^*)^{1/3}}{(\nu_1^*)^{1/3}/T_{K1} + (\nu_2^*)^{1/3}/T_{K2}} = 406 \text{ K}$$

$$T^* = 462 \text{ K}$$

Temperaturni parametar

$$T_{\text{KM}} = \varphi_1 T_{\text{K1}} + \varphi_2 T_{\text{K2}}$$

$$\varphi_1 = \frac{y_1 v_{\text{K1}}}{y_1 v_{\text{K1}} + y_2 v_{\text{K2}}} = \frac{0,392 \cdot 148}{0,392 \cdot 148 + 0,698 \cdot 259} = 0,269$$

$$\varphi_2 = 1 - \varphi_1 = 0,731$$

$$T_{\text{KM}} = 0,269 \cdot 305,4 + 0,731 \cdot 562,1 = 493 \text{ K}$$

Eksperiment: $T_{\text{KM}} = 499 \text{ K}$

Nije pseudokritična već KRITIČNA temperatura!,
„Kritični“ volumni udio!

$$p^* = \frac{T^*}{(v_M^*)^{1/3}} \frac{p_{\text{K1}}\theta_1 + p_{\text{K2}}\theta_2}{T_{\text{K1}}/(v_1^*)^{1/3} + T_{\text{K2}}/(v_2^*)^{1/3}} = 47,4 \text{ atm}$$

Tlačni parametar

$$\omega_M = \omega_1\theta_1 + \omega_2\theta_2 + (2\omega_{12} - \omega_1 - \omega_2)\theta_1\theta_2 = 0,167$$

$$\omega_{12} = \frac{2}{1/\omega_1 + 1/\omega_2} = 0,134$$

Pitzerov koeficijent acentričnosti za smjesu

$$\begin{aligned} p_{\text{KM}} &= p^* \left[1 + (5,808 + 4,93\omega) \left(\frac{T_{\text{KM}}}{T^*} - 1 \right) \right] = \\ &= 47,4 \left[1 + (5,808 + 4,93 \cdot 0,167) \left(\frac{493}{462} - 1 \right) \right] = \\ &= 68,5 \text{ atm} \end{aligned}$$

Eksperiment:

$$p_{\mathrm{KM}}=83,8\,\mathrm{atm}$$